

अखिल भारतीय आयुर्वेद संस्थान, गोवा ALL INDIA INSTITUTE OF AYURVEDA (AIIA), GOA

(आयुष मंत्रालय, भारत सरकार के अंतर्गत स्वायत्त संस्थान)

(An Autonomous Organization under the Ministry of AYUSH, Govt. of India)

Website: www.aiia.gov.in

Email: astt-storeofficer2@aiia.gov.in

Phone Number 011-26950401/02

Tender No.: M-50/61/2023-AIIAGoa

Dated: 21/01/2025

Tender Documents of Empanelment for preparation and supply/installation of rubber stamps, name plates, sign boards with stands & angels, flex banners, stickers etc. for All India Institute of Ayurveda (AIIA), Village-Dhargal, Taluka — Pernem, Manohar Airport Road, Goa- 403513



All India Institute of Ayurveda (AIIA)

Notice Inviting Tender

Chapter-I

The Director, All India Institute of Ayurveda (AIIA), Delhi invites tender under [Single] two bid System of separate. Technical Bid and Financial Bid from reputed and experienced original manufacturer/authorized distributor of the following item.

2. Description of the item(s) is given below:

Item No.	Name & Description	Qty.	Tentative cost (in ₹)
	Empanelment for preparation and supply/installation of rubber stamps, name plates, sign boards with stands & angles, flex banners, stickers etc. for AIIA, Goa.		1,38,00,000/-

3. SCHEDULE OF TENDER

Sl. No.	Activity Description	Schedule		
a.	Tender No.			
b.	Availability of Tender Document	The tender document can l	oe downloaded from the AIIA	
	** **	web site http://www.aiia.gov.in or from the procurem		
		portal http://eprocure.gov.in/epublish/app		
		Schedule	Time	
c.	Document download start date	21.01.2025	18:00 hrs	
d.	Bid submission start date	21.01.2025	18:00 hrs	
g.	Bid submission end date	03.02.2025	15:00 hrs	
h.	Bid opening date	03.02.2025	15:30 hrs	
i.	Minimum Validity of tender offer	365 days from the date of opening of technical bid		
j.	Services/Product to be offered	As per BOQ (Annexure-I)		
k.	Tender Document fee	NIL		

- 4. **Submission of Tenders:** The bid along with the necessary documents should be dropped in the Tender Box placed in the reception area of the All-India Institute of Ayurveda (AIIA), Village-Dhargal, Taluka Pernem, Manohar International Airport Road, Goa- 403513 on any working day/working hours and up to stipulated date and time. The bid document should be under two bid System of separate.
- (i) Technical Bid and (ii) Financial Bid The Technical bid and the financial bid should be sealed by the bidder in separate covers duly super -scribed and both these sealed covers should be placed in a bigger cover which should also be sealed and duly super -scribed.
 - 5. Clarification on bid documents: Clarification on bid document may be sought by the bidders as per prescribed schedule over email address <u>astt-storeofficer2@aiia.gov.in.</u>
 - 6. Amendments: Any amendments/corrigendum related to bid document, for any reason whether in its own

initiative or in response to clarification requested by bidders, will be published on website of AIIA and on CPPP only. Bidders should check these amendments regularly. AIIA shall not be responsible to notify such amendments/corrigendum to individual bidders.

7. Quality and Cost Based Selection (QCBS):

QCBS will be used for Procurement of the instant tender enquiry, since quality of service is of prime concern.

- (i) Only those responsive proposals that have achieved at least minimum specified qualifying score (i.e. 70) in quality of technical proposal are considered further.
- (ii) After opening and scoring, the financial proposals of responsive technically qualified bidders, a final combined score is arrived at by giving predefined relative weightages for the score of quality of the technical proposal and the score of financial proposal.
- (iii) The minimum qualifying score for the quality of technical proposal and also the relative weightages to be given to the quality and cost (70:30). The proposal with the highest weighted combined score (quality and cost) shall be selected.
- 8. All India Institute of Ayurveda (AIIA) reserves the right to amend or withdraw any of the terms and conditions contained in the Tender Document or to reject any or all Bids without assigning any reason. The decision of the Director, AIIA in this regard shall be final and binding on all.

(Dr. Shiva Kumar Harti)
Additional Professor &
Store In-charge

Store In-charge

Chapter- II

Instructions for Bidders

- 1. Tender has been invited under two bid System of separate technical and financial bids. Hence all instructions should be followed properly as mentioned in the bid document.
- 2. All envelops should be super-scribed "Technical and Financial Bid for Empanelment of preparation and supply/installation of rubber stamps, name plates, sign boards with stands & angles, flexe banners, stickers etc. in AIIA for All India Institute of Ayurveda (Satellite Centre) Goa"
- 3. All the annexures/declarations and tender documents should be signed by the bidders. If these are signed by a representative, an authorization letter issued after the date of publication of the tender must be attached. Tender submitted in loose sheet/unsigned shall not be considered.
- 4. The pages of tender document to be submitted by bidder should be properly numbered and an index with the proper page number should be attached to the tender document.
- 5. Rates quoted in respect of tender should be typed only. Any cutting, or overwriting shall not be considered.
- 6. The bidder shall quote rates in Indian Rupees (INR). Rates quoted in other currency shall be treated as non-responsive and will be rejected.
- 7. It is responsibility of bidders to ensure timely submission of bids as per the given schedule and must be dropped in the Tender Box. Bids received after the due date will not considered.
- 8. Contract agreement will be initially for a period of one year which can be extended further for a period of two years (year to year basis).
- 9. Delivery will be required in staggered mode. Bidder shall have to provide the required items as and when required on receipt of written notice. The supply should be made within a period of one week.
- 10. Specifications and size of the item may vary as per requirement.
- 11. L1 will be decided based on the Quality and Cost Based Selection (QCBS).

12. Eligibility Criteria for bidder

- (i) The bidder must have its own set up of printing (Documentary evidence required)
- (ii) Bidder must have three (03) years of experience of printing and installation of similar category items.
- (iii)Signed and scanned valid copy of Firm/Company Registration/Incorporation Certificate should be submitted.
- (iv)Signed and scanned copy of GST Registration and proof of latest quarter GST returns filed copies bythe participating Bidder Company should be submitted.
- (v) Signed and scanned copy of PAN Card in the name of firm/company should be made available.
- (vi)Bidder shall have to submit an undertaking that their firm is not blacklisted or in liquidation.
- 13. **Payment Terms and Conditions:** The requirement of item is in staggered delivery mode; therefore, payment shall be done on order basis on actual delivery and successful completion of the installation of items.

Ayr

Technical Specifications

SI. No	TYPE OF SIGNAGE	Technical specifications	Unit	Approximate requirement
A.	CELING HANGI	NG AND WALL PROJECTED		1
1.	ALUMINIUM ACRYLIC VINYL (WALL PROJECTED AND HANGING TYPE)	Modular Aluminum extrusions (Alloy 6060 as per European standards EN755-2-2008 tensile strength 190 mpa typical BHN is 70 from virgin aluminum homogeneous billet) with Premium grade Anodizing (Thickness 15-20 microns) as per international standards, with Lifetime warranty under normal working conditions. Sign is single sided with aluminum profile click fitted on 2 plastic moulded endcaps. Sign is including all plastic injection moulded end caps black in shade which are directly press fitted, media (vinyl) wrapping by virtue of design of profiles. We make MPI panels fitted and installed at site in plumb and level at	SQ INCH	65916
<u> </u>	WALL MOVINGE	specified location as per drawing to the satisfaction of the engineer-in-charge.		
В.		D INDOOR SIGNAGE		, 30 mm
1.	ALU PROFILE+ ACRYLIC AND VINYL	Indoor signage made in 3 mm ACP base with modular aluminum frame and artwork printed on one side vinyl pasted as per the approved artwork on same. Life time warranty under normal working condition for aluminum frame 7-year warranty on ACP and 3-year warranty on printed vinyl for indoor signages	SQ FOOT	1000
2.	ACRYLIC AND VINYL	Indoor signage made in 5MM acrylic signage pasted with vinyl as per approved design mounted on flat surface acrylic color as per branding design.	SQ INCH	1,60,000
3.	ACP AND VINYL	Indoor signage made in 3 mm acp base and artwork printed on one side vinyl pasted as per the approved artwork on same. For aluminum frame 7-year warranty on acp and 3-year warranty on printed vinyl for indoor signages	SQ FOOT	144
4.	SUNBOARD 3MM AND VINYL	Indoor signage made in 3 mm sunboard base and artwork printed on one side vinyl (Glossy/matte finish) pasted as per the approved artwork on same.	SQ FOOT	3000
5.	SUNBOARD 5MM AND VINYL	Indoor signage made in 5 mm sunboard base and artwork printed on one side vinyl (Glossy/matte finish) pasted as per the approved artwork on same.	SQ FOOT	1500

Lyw

1.	ALUMINIUM VINYL	Modular Aluminum extrusions (Alloy 6060 as per European standards EN755-2-2008 tensile strength 190 mpa typical BHN is 70 from virgin aluminum homogeneous billet) with Premium grade Anodizing (Thickness 15-20 microns) as per international standards, with Lifetime warranty under normal working conditions. Clip on plates used for adding multiple names of doctors departments or as per requirement.	SQ INCH	13824
D.	VINYL CUTTING ON PLOTTER	Vinyl cutting on plotter as per the approved design pasted on glass to reduce transparency or branding profile. 5 years	SQ INCH	200
E.	OUTDOOR 3D L	ETTER SIGNAGES	41.	25 2 4
1.	ACP ACRYLIC VINYL ALUMINIUM GI PIPE	Outdoor signages made with GI pipe fabrication with epoxy paint flattened and framed in an aluminum pipe used for mounting 3 mm ACP. And cast acrylic letters with led modules as per design with waterproof power supply and weatherproof electrical box. 1 year warranty on the power supply and modules 5 years warranty for GI structure other than elemental and normal wear and tear. 3-year	SQ FOOT	1000
		warranty on acrylic letters against fading other than blue and purple Colour acrylic. Retroreflective ACP Sheet 1mm with design, print	SQ INCH	15000
	-	and installation		
	A CID CIVIENT	Retroreflective ACP Sheet 2mm with design, print and installation	SQ INCH	15000
2	ACP SHEET	Retroreflective ACP Sheet 3mm with design, print and installation	SQ INCH	15000
-		Retroreflective ACP Sheet 4mm with design, print and installation	SQ INCH	10000
		GI Pipe, 3Inch, 3mm thickness, (with installation),	meter	50
3	GI PIPE	GI Pipe, 2 Inch, 3mm thickness, (with installation)	meter	. 50
ě	a. ×	Gl Pipe, 1 Inch, 3mm thickness, (with installation)	meter	50
		SS 304 pipe 1inch, 3mm (with installation)	meter	50
4.	SS PIPE	SS 304 pipe 2inch, 3mm thickness (with installation)	meter	50
P		SS 304 pipe 3inch, 3mm thickness (with installation)	meter	50
F.	BOTH SIDE PYL	ON SIGNAGES		
	PYLON SIGNAGES	Outdoor signages made with GI pipe fabrication with epoxy paint flattened and framed in aluminum pipe used for mounting 3 mm acp. Cast acrylic letters with LED modules as per design with a	SQFOOT	960
Γ.		waterproof power supply and weatherproof electrical box. 1-year warranty on power supply and modules 5, years warranty for GI structure other than elemental and normal wear and tear. 3-year warranty on acrylic letters against fading other than blue and purple color acrylic.		



,	ULTRA SLIM EXTRA	Ultra Slim Extra Bright LED Frames are designed to be thin and lightweight, with a typical thickness	Per square	KO
	BRIGHT LED	ranging from 19mm to 30mm, making them easy	inch	Σ .
G.	FRAMES	to mount on walls. 4-10Watt. Light source- LED,	inon	150000
		Film (content) -easily changeable (All sizes A1,		
	-	A2, A3, A4, A5 B1, B2). Price inclusive of		v
	DOLL ID	installation and content design		
H.	ROLL UP STANDY	Design and print on premium flex - Size 3ft *6ft	per piece	as required
		Brass Letter (English 1 inch per letter)	Per letter	As required
		Brass Letter (Hindi 1 inch per letter)	Per letter	As required
,		Brass Letter (English 1.5 inch per letter)	Per letter	As required
		Brass Letter (Hindi 1.5 inch per letter)	Per letter	As required
	-	Brass Letter (English 2 inch per letter)	Per letter	As required
	-	Brass Letter (Hindi 2 inch per letter)	Per letter	As required
	LETTERS -	Brass Letter (English 2.5 inch per letter)	Per letter	As required
1.	BRASS MATERIAL	Brass Letter (Hindi 2.5 inch per letter)	Per letter	As required
-	MATERIAL	Brass Letter (English 3 inch per letter)	Per letter	As required
8	n	Brass Letter (Hindi 3 inch per letter)	Per letter	As required
		Brass Letter (English 4 inch per letter)	Per letter	As required
		Brass Letter (Hindi 4 inch per letter)	Per letter	As required
		Brass Letter (English 5 inch per letter)	Per letter	As required
	**	Brass Letter (Hindi 5 inch per letter)	Per letter	As required
	0	Steel Letter (English 1 inch per letter)	Per letter	As required
	iai a	Steel Letter (Hindi 1 inch per letter)	Per letter	As required
	я	Steel Letter (English 1.5 inch per letter)	Per letter	As required
		Steel Letter (Hindi 1.5 inch per letter)	Per letter	As required
		Steel Letter (English 2 inch per letter)	Per letter	As required
	**************************************	Steel Letter (Hindi 2 inch per letter)	Per letter	As required
	LETTERS -	Steel Letter (English 2.5 inch per letter)	Per letter	As required
2.	STEEL MATERIAL	Steel Letter (Hindi 2.5 inch per letter)	Per letter	As required
	WATERIAL	Steel Letter (English 3 inch per letter)	Per letter	As required
		Steel Letter (Hindi 3 inch per letter)	Per letter	As required
,	8	Steel Letter (English 4 inch per letter)	Per letter	As required
		Steel Letter (Hindi 4 inch per letter)	Per letter	As required
	,	Steel Letter (English 5 inch per letter)	Per letter	As required
	*	Steel Letter (Hindi 5 inch per letter)	Per letter	As required
		Plastic Letter (English 1 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 1 inch per letter)	Per letter	As required
	- " - "	Plastic Letter (English 1.5 inch per letter)	Per letter	As required
*		Plastic Letter (Hindi 1.5 inch per letter)	Per letter	As required
	LETTERS -	Plastic Letter (English 2 inch per letter)	Per letter	As required
3.	PLASTIC/PVC/	Plastic Letter (Hindi 2 inch per letter)	Per letter	As required
-	with LED	Plastic Letter (English 2.5 inch per letter)	Per letter	As required
	* *-*	Plastic Letter (Hindi 2.5 inch per letter)	Per letter	As required
ti.		Plastic Letter (English 3 inch per letter)	Per letter	As required
	-	Plastic Letter (Hindi 3 inch per letter)	Per letter	As required As required
	×	Frasile Letter (Tillidi 5 illett per fetter)	r er retter	As required



		Plastic Letter (English 4 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 4 inch per letter)	Per letter	As required
		Plastic Letter (English 5 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 5 inch per letter)	Per letter	As required
		Name Plate Ordinary vinyl bilingual (per Sq. Inch)	Sq. Inch	2000
		Name Plate acrylic (thickness 5mm) Black or required Colour (per Sq. Inch) bilingual	Sq. Inch	2000
J.	NAME PLATE/ DISPLAY	Steel Name Plate (per Sq. Inch) bilingual - embossed	Sq. Inch	2000
	PLATES	Brass Name Plate (per Sq. Inch) bilingual- embossed	Sq. Inch	2000
		ACP name plate (3mm) with vinyl pasting (color) with 1 meter GI pipe 3mm thickness used as a stand for the sign boards for displaying the name of medicinal plants.	Per piece	Per stand
		(WITH MATERIAL, DESIGN, PRINTING AND INSTALLATION)		
	*	Normal flex	Sqft	500
		Star flex	Sqft	500
	= , <u>, , , , , , , , , , , , , , , , , ,</u>	Backlit boards	Sqft	500
	EL EXCAND	Backlit premium	Sqft	500
K.	FLEX AND BANNERS	Vinyl (with front sticker)	Sqft	1000
	DIA (TILE)	Vinyl (with back sticker)	Sqft	2000
		Backlit vinyl	Sqft	1000
	g 1p = 0	Eco print	Sqft	500
	= = = = = = = = = = = = = = = = = = = =	Normal Flex with metal frame	Sqft	1000
	· · · · · · · · · · · · · · · · · · ·	Star Flex with metal frame		1000
¥		Manual stamps special flash self-inking (48*12	Sqft	
īš		mm)	Per unit	As required
	(a)	Manual stamps special flash (48*17mm) self- inking bilingual	Per unit	As required
		Manual stamps special bilingual (60*25mm) flash self-inking	Per unit	As required
2		Manual stamps special bilingual (70*37mm) flash self-inking	Per unit	As required
	-	Manual stamps Brief flash self-inking stamp (60*20mm)	Per unit	As required
L.	STAMPS	Computerized stamps with special flash self-inking (48*12 mm)	Per unit	As required
v		Computerized stamps special flash (48*17mm) self-inking bilingual	Per unit	As required
		Computerized stamps special bilingual (60*25mm) flash self-inking	Per unit	As required
a .	*	Computerized stamps special bilingual (70*37mm) flash self-inking	Per unit	As required
	ar List	Computerized stamps Brief flash self-inking stamp (60*20mm)	Per unit	As required
	-	Rectangular self-inked date stamp	Per unit	As required
		Ink for self-ink stamps	25ml/bot tle	As required



	T	T		
M	ID CARDS WITH LANYARDS	Premium ID cards should be made from high-quality PVC or plastic composite material with a glossy or matte finish, measuring 85.60 mm x 53.98 mm and 0.76 mm in thickness (credit card size). They should feature full-color, high-resolution (300-600 dpi) printing on both sides, allowing for personalized information such as name, photo, designation, and department. Optional security features like holographic overlays, barcodes, QR codes, or RFID chips can be included for enhanced functionality and access control. The cards should be durable, scratch-resistant, and waterproof, with optional lamination for extra protection. Card holder should be of a durable metal. Accessories such as custom lanyards with breakaway clasps, transparent cardholders, and clips should also be provided.	Per card	150-200per year
N	VISITING CARDS	Premium visiting cards should be crafted using high-quality paper or cardstock, with a weight ranging between 300-400 GSM for durability and a professional feel. They can be finished in either a matte or glossy style, depending on preference, with options for textured, linen, or metallic finishes for added elegance. Standard dimensions should be 3.5 x 2 inches (88.9 mm x 50.8 mm), ensuring a sleek and compact design. The cards should feature full-color, high-resolution (300-600 dpi) printing on one or both sides, allowing for clear presentation of details such as name, designation, company logo, contact information, and website. Customizable elements like embossed logos, foil stamping, spot UV coating, or raised lettering can be added for a premium touch.	100 cards /box	20-50 boxes/ year
M	CERTIFICATE	Printing of certificates of 200gsm- Glossy/matte finish	Per piece	500
N	COLOR PAMPHLET/B ROCHURE PRINTING	A5 SIZE – multicolor Glossy/matte finish – bifold/trifold/zfold 100-200gsm A4 SIZE – Multicolor, Glossy/matte finish - bifold/trifold/zfold 100-200gsm	Per page Per page	1000
О	INVITATION CARD WITH ENVELOPS	Multicolor, 100-200GMS glossy/matte finish	Per card	500



Bid Security Declaration by the Bidder

I/we, M/s	_hereby	undertake	and	accept	that if	f I/We	withdr	aw or
modify my/our Bids during the period of vali	dity, or i	f I/We am/a	are av	varded 1	the con	tract a	nd I/We	fail to
sign the contract, or to submit a performance	security	before the	dead	line de	fined ir	the re	equest fo	r bids
document, I/We		sha	all ha	ve no	object	ion if	I/We a	ım/are
suspended for the two years from the date o	f being 6	eligible to s	submi	t Bids	for con	tracts	with All	India
Institute of Ayurveda, New Delhi.								
Seal, Name & Address of the Bidder/Author	orized pe	rson						
Telephone No. & Email ID								

Auro

FINANCIAL Bid

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9	BoQ for rate contract of signages for A	IIA GOA		1
31. No	TYPE OF SIGNAGE	Technical specifications	Unit	Approxi mate require ment	Rate per unit/pc
3.	CELING HANGI	NG AND WALL PROJECTED)X	_	
1. · · · .	ALUMINIUM ACRYLIC VINYL (WALL PROJECTED AND HANGING TYPE)	Modular Aluminum extrusions (Alloy 6060 as per European standards EN755-2-2008 tensile strength 190 mpa typical BHN is 70 from virgin aluminum homogeneous billet) with Premium grade Anodizing (Thickness 15-20 microns) as per international standards, with Lifetime warranty under normal working conditions. Sign is single sided with aluminum profile click fitted on 2 plastic moulded endcaps. Sign is including all plastic injection moulded end caps black in shade which are directly press fitted, media (vinyl) wrapping by virtue of design of profiles. We make MPI panels fitted and installed at site in plumb and level at specified location as per drawing to the satisfaction of the engineer-incharge.	SQ INCH	65916	
3.	WALL MOUNTE	D INDOOR SIGNAGE			
	ALU PROFILE+ ACRYLIC AND VINYL	Indoor signage made in 3 mm ACP base with modular aluminum frame and artwork printed on one side vinyl pasted as per the approved artwork on same. Life time warranty under normal working condition for aluminum frame 7-year warranty on ACP and 3-year warranty on printed vinyl for indoor signages	SQ FOOT	1000	e e
	ACRYLIC AND VINYL	Indoor signage made in 5MM acrylic signage pasted with vinyl as per approved design mounted on flat surface acrylic color as per branding design.	SQ INCH	1,60,000	e e
	ACP AND VINYL	Indoor signage made in 3 mm acp base and artwork printed on one side vinyl pasted as per the approved artwork on same. For aluminum frame 7-year warranty on acp and 3-year warranty on printed vinyl for indoor signages	SQ FOOT	144	1
	SUNBOARD 3MM AND VINYL	Indoor signage made in 3 mm sunboard base and artwork printed on one side vinyl (Glossy/matte finish) pasted as per the approved artwork on same.	SQ FOOT	3000	
0.	SUNBOARD 5MM AND VINYL	Indoor signage made in 5 mm sunboard base and artwork printed on one side vinyl (Glossy/matte finish) pasted as per the approved artwork on same.	SQ FOOT	1500	

3.	FOR OUTSIDE (OPD ROOM AND DEPT			
•	ALUMINIUM VINYL	Modular Aluminum extrusions (Alloy 6060 as per European standards EN755-2-2008 tensile strength 190 mpa typical BHN is 70 from virgin aluminum homogeneous billet) with Premium grade Anodizing (Thickness 15-20 microns) as per international standards, with Lifetime warranty under normal working conditions. Clip on plates used for adding multiple names of doctors departments or as per requirement.	SQ INCH	13824	
	VINYL CUTTING ON PLOTTER	Vinyl cutting on plotter as per the approved design pasted on glass to reduce transparency or branding profile. 5 years	SQ INCH	200	
		ETTER SIGNAGES			
	ACP ACRYLIC VINYL ALUMINIUM GI PIPE	Outdoor signages made with GI pipe fabrication with epoxy paint flattened and framed in an aluminum pipe used for mounting 3 mm ACP. And cast acrylic letters with led modules as per design with waterproof power supply and weatherproof electrical box. 1 year warranty on the power supply and modules 5 years warranty for GI structure other than elemental and normal wear and tear. 3-year warranty on acrylic letters against fading other than blue and purple Colour acrylic.	SQ FOOT	1000	
		Retroreflective ACP Sheet 1mm with design, print and installation	SQ INCH	15000	
	ACP SHEET	Retroreflective ACP Sheet 2mm with design, print and installation	SQ INCH	15000	v 5
	ACI SHEET	Retroreflective ACP Sheet 3mm with design, print and installation	SQ INCH	15000	
		Retroreflective ACP Sheet 4mm with design, print and installation	SQ INCH	10000	
		GI Pipe, 3Inch, 3mm thickness, (with installation),	meter	50	
	GI PIPE	GI Pipe, 2 Inch, 3mm thickness, (with installation)	meter	50	
	*	GI Pipe, 1 Inch, 3mm thickness, (with installation)	meter	50	
		SS 304 pipe 1 inch, 3mm (with installation)	meter	50	
	SS PIPE	SS 304 pipe 2inch, 3mm thickness (with installation)	meter	50	
		SS 304 pipe 3inch, 3mm thickness (with installation)	meter	50	(A)
	BOTH SIDE PYL		ii e		
	PYLON SIGNAGES	Outdoor signages made with GI pipe fabrication with epoxy paint flattened and framed in aluminum pipe used for mounting 3 mm acp. Cast acrylic letters with LED modules as per design with a waterproof power supply and weatherproof electrical box. 1-year warranty on power supply and modules 5, years warranty for GI structure other than elemental and normal wear and tear. 3-year warranty on acrylic letters against fading other than blue and purple color acrylic.	SQFOOT	960	

	9			
Э.	ULTRA SLIM EXTRA BRIGHT LED FRAMES	Ultra Slim Extra Bright LED Frames are designed to be thin and lightweight, with a typical thickness ranging from 19mm to 30mm, making them easy to mount on walls. 4-10Watt. Light source- LED, Film (content) –easily changeable (All sizes A1, A2, A3, A4, A5 B1, B2). Price inclusive of installation and content design	Per square inch	150000
·I.	ROLL UP STANDY	Design and print on premium flex - Size 3ft *6ft	per piece	as required
	# 1 P	Brass Letter (English 1 inch per letter)	Per letter	As required
	ac .	Brass Letter (Hindi 1 inch per letter)	Per letter	As uired
	400	Brass Letter (English 1.5 inch per letter)	Per letter	As required
	-	Brass Letter (Hindi 1.5 inch per letter)	Per letter	As required
		Brass Letter (English 2 inch per letter)	Per letter	As required
		Brass Letter (Hindi 2 inch per letter)	Per letter	As required
, ₁ .	LETTERS – BRASS	Brass Letter (English 2.5 inch per letter)	Per letter	As required
1.	MATERIAL	Brass Letter (Hindi 2.5 inch per letter)	Per letter	As required
		Brass Letter (English 3 inch per letter)	Per letter	As required
		Brass Letter (Hindi 3 inch per letter)	Per letter	As required
		Brass Letter (English 4 inch per letter)	Per letter	As required
		Brass Letter (Hindi 4 inch per letter)	Per letter	As required
		Brass Letter (English 5 inch per letter)	Per letter	As required
		Brass Letter (Hindi 5 inch per letter)	Per letter	As required
,		Steel Letter (English 1 inch per letter)	Per letter	As required
	e e	Steel Letter (Hindi 1 inch per letter)	Per letter	As required
-		Steel Letter (English 1.5 inch per letter)	Per letter	As required
		Steel Letter (Hindi 1.5 inch per letter)	Per letter	As required
+		Steel Letter (English 2 inch per letter)	Per letter	As required
	LETTERS – STEEL	Steel Letter (Hindi 2 inch per letter)	Per letter	As required
	MATERIAL	Steel Letter (English 2.5 inch per letter)	Per letter	As required
		Steel Letter (Hindi 2.5 inch per letter)	Per letter	As required
		Steel Letter (English 3 inch per letter)	Per letter	As required
	1 1	Steel Letter (Hindi 3 inch per letter)	Per letter	As required
-	*,	Steel Letter (English 4 inch per letter)	Per letter	As required
	a .	Steel Letter (Hindi 4 inch per letter)	Per letter	As



•

				required
		Steel Letter (English 5 inch per letter)	Per letter	As required
		Steel Letter (Hindi 5 inch per letter)	Per letter	As required
	×	Plastic Letter (English 1 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 1 inch per letter)	Per letter	As required
		Plastic Letter (English 1.5 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 1.5 inch per letter)	Per letter	As required
	-	Plastic Letter (English 2 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 2 inch per letter)	Per letter	As required
	LETTERS – PLASTIC/PVC/	Plastic Letter (English 2.5 inch per letter)	Per letter	As required
5• ·	with LED	Plastic Letter (Hindi 2.5 inch per letter)	Per letter	As required
	3	Plastic Letter (English 3 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 3 inch per letter)	Per letter ·	As required
		Plastic Letter (English 4 inch per letter)	Per letter	As required
•		Plastic Letter (Hindi 4 inch per letter)	Per letter	As required
		Plastic Letter (English 5 inch per letter)	Per letter	As required
		Plastic Letter (Hindi 5 inch per letter)	Per letter	As required
		Name Plate Ordinary vinyl bilingual (per Sq. Inch)	Sq. Inch	2000
		Name Plate acrylic (thickness 5mm) Black or required Colour (per Sq. Inch) bilingual	Sq. Inch	2000
	NAME PLATE/ DISPLAY	Steel Name Plate (per Sq. Inch) bilingual - embossed	Sq. Inch	2000
	PLATES	Brass Name Plate (per Sq. Inch) bilingual- embossed	Sq. Inch	2000
ay .		ACP name plate (3mm) with vinyl pasting (color) with 1 meter GI pipe 3mm thickness used as a stand for the sign boards for displaying the name of medicinal plants.	Per piece	Per stand
		(WITH MATERIAL, DESIGN, PRINTING AND INSTALLATION)	=	
		Normal flex	Sqft	500
		Star flex	Sqft	500
	FLEX AND	Backlit boards	Sqft	500
ζ.	BANNERS	Backlit premium	Sqft	500
		Vinyl (with front sticker)	Sqft	1000
		Vinyl (with back sticker)	Sqft	2000
		Backlit vinyl	Sqft	1000
	R	Eco print	Sqft	500



,	, ž	Normal Flex with metal frame	T C - G	1000
	7		Sqft	1000
		Star Flex with metal frame	Sqft	1000
		Manual stamps special flash self-inking (48*12 mm)	Per unit	As required
	,	Manual stamps special flash (48*17mm) self-inking bilingual	Per unit	As required
		Manual stamps special bilingual (60*25mm) flash self-inking	Per unit	As required
		Manual stamps special bilingual (70*37mm) flash self-inking	Per unit	As required
	STAMPS	Manual stamps Brief flash self-inking stamp (60*20mm)	Per unit	As required
		Computerized stamps with special flash self-inking (48*12 mm)	Per unit	As required
,		Computerized stamps special flash (48*17mm) self-inking bilingual	Per unit	As required
		Computerized stamps special bilingual (60*25mm) flash self-inking	Per unit	As required
		Computerized stamps special bilingual (70*37mm) flash self-inking	Per unit	As required
		Computerized stamps Brief flash self-inking stamp (60*20mm)	Per unit	As required
		Rectangular self-inked date stamp	Per unit	As required
0		Ink for self-ink stamps	25ml/bottle	As required
Л	ID CARDS WITH LANYARDS	Premium ID cards should be made from high-quality PVC or plastic composite material with a glossy or matte finish, measuring 85.60 mm x 53.98 mm and 0.76 mm in thickness (credit card size). They should feature full-color, high-resolution (300-600 dpi) printing on both sides, allowing for personalized information such as name, photo, designation, and department. Optional security features like holographic overlays, barcodes, QR codes, or RFID chips can be included for enhanced functionality and access control. The cards should be durable, scratch-resistant, and waterproof, with optional lamination for extra protection. Card holder should be of a durable metal. Accessories such as custom lanyards with breakaway clasps, transparent cardholders, and clips should also be provided.	Per card	150- 200per year
1	VISITING CARDS	Premium visiting cards should be crafted using high-quality paper or cardstock, with a weight ranging between 300-400 GSM for durability and a professional feel. They can be finished in either a matte or glossy style, depending on preference, with options for textured, linen, or metallic finishes for added elegance. Standard dimensions should be 3.5 x 2 inches (88.9 mm x 50.8 mm), ensuring a sleek and compact design. The cards should feature full-color, high-resolution (300-600 dpi) printing on one or both sides, allowing for clear presentation of details such as name, designation, company logo, contact	100 cards /box	20-50 boxes/ year

					1
	-	information, and website. Customizable elements			
		like embossed logos, foil stamping, spot UV			
		coating, or raised lettering can be added for a			
		premium touch.	4		
Л	CERTIFICATE	Printing of certificates of 200gsm- Glossy/matte	Donniess	500	
		finish	Per piece		
	COLOR	A5 SIZE – multicolor Glossy/matte finish –	D	1000	
1	PAMPHLET/B	bifold/trifold/zfold 100-200gsm	Per page	1000	
	ROCHURE	A4 SIZE – Multicolor, Glossy/matte finish -	D	1000	
	PRINTING	bifold/trifold/zfold 100-200gsm	Per page		
)	INVITATION		Per card	500	
	CARD WITH	Multicolor, 100-200GMS glossy/matte finish			
	ENVELOPS	,			

Signature and seal of the firm

Note:

- The Rates should be quoted inclusive of all taxes; viz. Freight, Packing, Forwarding, Insurance, Transportation applicable GST upto the F.O.R. AIIA, Delhi basis.
- The Bidder will quote firm rates inclusive of all Taxes & expenditure upto F.O.R. to AIIA, GOA basis. The AIIA, GOA will release payment claimagainst accepted supply after deductions of TDS as per prevailing Tax Rules and LD (If any) as per the Terms & Condition mentioned in the Tender.



QCBS Criteria for Technical Evaluation

S. No.	Evaluation parameter	Maximum Marks	Met	hodology
1.	Years of Experience	15 Marks	i.	Above 9 Years and above- 15
	9			Marks
			ii.	Above 6 to 9 Years – 10 Marks
			iii.	Above 3 to 6 Years – 5 Marks
			iv.	Up to 3 Years-(0-3) Marks
2.	Similar Experience Of work in	15 Marks	i.	More than 5 similar works - 15
	Central store Government,		*	Marks
	Public sector Undertakings,		ii.	5 similar works - 10 Marks
26. V	Autonomous Bodies of		iii.	4 similar works- 5 Marks
	Centra/State Government	* ,	iv.	upto 3 similar works- 0 Marks
	(Total number of different	- *		
	clients with minimum served in		0	
2	last 3 FY)	15) 6 1) (- 1 - D - 0 - 15 - 1
3.	Avg. Annual Turnover from	15 Marks	i.	
	Similar business in last 5	-	ii.	Between Rs. 1 cr to 2 cr – 10
	financial years		iii.	Marks
		*	111.	Between Rs. 50 Lakh to 1 cr – 5 marks
	2 2 2		iv.	Below Rs. 50 lakh- 0 marks
4	Monetary value of the contract	15 Marks	i.	More than Rs. 2cr-15 marks
	in last 5 financial years	15 Warks	ii.	Between Rs. 1 cr to 2 cr – 10
	(Maximum contract value of a		11.	Marks
	single contract executed in last		iii.	Between Rs. 50 Lakh to 1 cr – 5
	5 FY)			marks
			iv.	upto Rs. 50 lakh- 0 marks
5.	Presentation of the Bidder	40 Marks	i.	Understanding of the requirement
		т "	ii.	Details of resources of the bidder
	*			and capability of handle the
	4			services
		,	iii.	Plan for execution of similar
	,			works in good manner.
Total Ma	arks	100		

Augh.

ALL INDIA INSTITUTE OF AYURVEDA DELHI PUBLIC FINANCIAL MANAGEMENT SYSTEM (PFMS) PFMS UNIQUE CODE: VENDOR REGISTRATION FORM Sl. No. **Head Name Details** Name of the Vendor 2. Father/Husband/Owner Name 3. Date of Birth PAN Number GSTIN 6. Aadhar Number TAN Number 7. TIN Number 8. Service Tax No. 9. 10. Address1 11. Address2 12. Address3 13. City 14. Country 15. State 16. District 17. Pin Code 18. Mobile No. 19. Phone No. 20. Email ID 21. Bank Name 22. IFSC Code 23. Account Number DATE: PLACE: VENDOR SIGNATURE WITH SEAL

Note: All related self-attested documents also enclosed with this form

